Author index

Alexander, N B see Chen, H-C
Ashton-Miller, J A see Chen, H-C
Bajd. T, Kralj, A, Karčnik, T, Šavrin, R and Obreza, P Significance of FES-assisted plantarflexion during walking of incomplete SCI subjects 5
Barr, D A see Kerr, K M
Beauchamp, R D see Sawatzky, B J
Beck, J C and Czerniecki, J A Method for optimization of above-knee prosthetic shank-foot inertial characteristics 75
Blaszczyk, J W, Lowe, D L and Hansen, P D Ranges of postural stability and their changes in the elderly 11
Caron, O see Gélat, T
Cavanagh, P R see Davis, B L
Chang, R W see Pai, Y-C
Chen, H-C, Ashton-Miller, J A, Alexander, N B and Schultz, A Age effects on strategies used to avoid obstacles 139
Claes, L see Rosenbaum, D
Crosbie, J, Flynn, W and Rutter, L Effect of side load carriage on the kinematics of gait 103
Czerniecki, J see Beck, J C
Davis, B L, Cavanagh, P R and Perry, J E Locomotion in a rotating space station: a synthesis of new data with established concepts 157
Dietz, V, Schubert, M, Discher, M and Trippel, M Influence of visuoproprioceptive mismatch on postural adjustments 147
Discher, M see Dietz, V
Faass, J K see Morlock, M M
Fisher, V see Nigg, B M
Flynn, W see Crosbie, J
Gélat, T, Caron, O, Metzger, T and Rougier, P Human posturokinetic strategies from a horizontal quadrapedal stance. Temporal and biomechanical aspects 221
Goh, J C H, Tan, P H, Toh, S L and Tay, T E Gait analysis study of an energy-storing prosthetic foot – a preliminary report 95
Gold, M see Rosenbaum, D
Hansen, P D see Blaszczyk, J W
Harburn, K L see Hill, K M
Hautmann, S see Rosenbaum, D
Hill, K M, Harburn, K, L, Kramer, J F, Noh, S, Vandervoort, A A and Matheson, J M Comparison of balance responses to an external perturbation test, with and without an overhead harness safety system 27

© 1994 Butterworth-Heinnemann Ltd

0966–6362/94/040261/03

Jones, J H see Morlock, M M
Jullian, J M, Péruchon, E and Rabischong, P Development of a balance context indicator during gait 227
Karčnik, T see Bajd, T
Kerr, K M, White, J A, Barr, D A and Mollan, R A B Analysis of the sit-stand-sit movement cycle: development of a measurement system 173
Kerr, K M, White, J A, Barr, D A and Mollan, R A B Standardization and definitions of the sit-stand-sit movement cycle 182
Kobluk, C N see Morlock, M M
Kralj, A see Bajd, T
Kramer, J F see Hill, K M
Lowe, D L see Blaszczyk, J W
Loy, D J see Voloshin, A S
Matheson, J M see Hill, K M
Metzger, T see Gélat, T
Miller, K see Whittle, M W
Mollan, R A B see Kerr, K M
Morlock, M M, Kobluk, C N, Jones, J H, Rolsten, G K and Faass, J K Influence of bandage material on pressure distribution under the bandage on the distal forelimb of the galloping horse 253
Naughton, B J see Pai, Y-C
Neal, R J see Newton, R U
Newell, K M see Slobounov, S
Newton, R U and Neal, R J Three-dimensional quantification of human standing posture 205
Nigg, B M, Fisher, V and Ronsky, J L Gait characteristics as a function of age and gender 213
Noh, S see Hill K M
Obreza, P see Bajd, T
Orofino, T A see Whittle, M W
Outerbridge, A R see Sawatzky, B J
Pai, Y-C, Naughton, B J, Chang, R W and Rogers, M W Control of body centre of mass momentum during sit-to-stand among young and elderly adults 109
Perry, J E see Davis, B L
Péruchon, E see Jullian, J M
Prince, F, Winter, D A, Stergiou, P and Watt, S E Anticipatory control of upper body balance during human locomotion 19
Rabischong, P see Jullian, J M
Riach, C L and Starkes, J L Velocity of centre of pressure excursions as an indicator of postural control systems in children 167
Rogers, M W see Pai, Y-C
Rolsten, G K see Morlock, M M
Ronsky, J L see Nigg, B M
Rosenbaum, D, Hautmann, S, Gold, M and Claes, L

Effects of walking speed on plantar pressure patterns and hindfoot angular motion 191
Rougier, P see Gélat, T
Rutter, L see Crosbie, J
Sanderson, D J see Sawatzky, B J
Šavrin, R see Bajd, T
Sawatzky, B J, Sanderson, D J, Beauchamp, R D and Outerbridge, A Ground reaction forces in gait in children with clubfeet – a preliminary study 123
Schubert, M see Dietz, V
Schultz, A B See Chen, H-C
Slobounov, S and Newell, K M Postural dynamics as a function of skill level and task constraints 85
Starkes, J L see Riach, C L
Stergiou, P see Prince, F
Tan, P H see Goh, J C H
Tay, T E see Goh, J C H
Toh, S L see Goh, J C H
Trippel, M see Dietz, V
Vandervoort, A A see Hill, K M
Voloshin, A S and Loy, D J Biomechanical evaluation and management of the shock waves resulting from the high-heel gait: I – temporal domain study 117
Watt, S E see Prince, F
White, J A see Kerr, K M
Whittle, M W, Orofino, T A and Miller, K Technical approach to characterization of perceived comfort of walking surfaces
Winter, D A see Prince, F

Keyword index

Above-knee amputee
Prosthetics, Inertial characteristics 75
Ageing
Postural control, Balance 11
Falls, Obstacle avoidance strategies 139
Gait, Strength 213
Amputees
Gait, Energy storing prosthetic foot 95
Anticipatory control
Human locomotion, Kinematics 19
Arch type
Pressure distribution measurement, Walking speed 191
Artificial gravity
Locomotion, Biomechanics 157
Balance
Postural control, Ageing 11
Bandaging
Galloping horse, Pressure distribution 253
Biomechanics
Artificial gravity, Locomotion 157
Centre of pressure
Compensatory movement strategies, Postural dynamics 85
Clubfeet
Motion measurements, Ground reaction forces 123
Compensatory movement strategies
Centre of pressure, Postural dynamics 85
Computer imaging
Measurement, Video analysis 205
Control of balance
Falls, Impulse-momentum strategy 109
Development
Posture, Motor control 167
Dynamic balance control
Gait restoration, Plantar forces 227
Electrogoniometry
Movement analysis, Vector stereography 173
Electromyogram
Muscle receptor, Motor control 147
Energy storing prosthetic foot
Gait, Amputees 95
Falls
Control of balance, Impulse-momentum strategy 109
Ageing, Obstacle avoidance strategies 139
Floor covering
Foot, Heel-strike 129
Foot
Heel-strike, Floor covering 129
Functional electrical stimulation
Spinal cord injury, Gait 5
Gait
Functional electrical stimulation, Spinal cord injury 5
Posture, Patient safety 27
Energy storing prosthetic foot, Amputees 95
Posture, Load carriage 103
Ageing, Strength 213
Gait restoration
Dynamic balance control, Plantar forces 227
Galloping horse
Bandaging, Pressure distribution 253
Ground reaction forces
Motion measurements, Clubfeet 123
Heel-strike
Foot, Floor covering 129
High heels
Shock absorption, Viscoelastic insoles 117
Human locomotion
Kinematics, Anticipatory control 19
Human quadrupedal stance
Posture, Voluntary movement 221

Impulse-momentum strategy
Control of balance, Falls 109
Inertial characteristics
Prosthetics, Above-knee amputee 75
Kinematics
Human locomotion, Anticipatory control 19
Load carriage
Gait, Posture 103
Locomotion
Artificial gravity, Biomechanics 157
Measurement
Computer imaging, Video analysis 205
Motion measurements
Ground reaction forces, Clubfeet 123
Motor control
Muscle receptor, Electromyogram 147
Posture, Development 167
Movement analysis
Vector stereography, Electrogoniometry 173
Sit-stand-sit, Phases 182
Muscle receptor
Motor control, Electromyogram 147
Obstacle avoidance strategies
Falls, Ageing 139
Patient safety
Gait, Posture 27
Phases
Movement analysis, Sit-stand-sit 182
Plantar forces
Gait restoration, Dynamic balance control 227
Postural control
Balance, Ageing 11
Postural dynamics
Centre of pressure, Compensatory movement strategies 85
Posture
Gait, Patient safety 27
Gait, Load carriage 103
Development, Motor control 167
Human quadrupedal stance, Voluntary movement 221
Pressure distribution
Galloping horse, Bandaging 253
Pressure distribution measurement
Walking speed, Arch type 191
Prosthetics
Above-knee amputee, Inertial characteristics 75
Shock absorption
Viscoelastic insoles, High heels 117
Sit-stand-sit
Movement and analysis, Phases 182
Spinal cord injury
Functional electrical stimulation, Gait 5
Strength
Gait, Ageing 213
Vector stereography
Movement analysis, Electrogoniometry 173
Video analysis
Measurement, Computer imaging 205
Viscoelastic insoles
Shock absorption, High heels 117
Voluntary movement
Human quadrupedal stance, Posture 221
Walking speed
Pressure distribution measurement, Arch type 191